

ATTORNEY DOCKET NO. 4982/5
PATENT

IN THE CLAIMS

Please cancel claims 6, 14, and 10 without admission and without prejudice.

Clean version of each replacement claim

Please substitute the following claims for the pending claims of the same numbers:

1. (Amended) A backup and retrieval system for a network computing system, the network computing system comprising a plurality of groups of network devices storing data, the backup and retrieval system comprising:

at least two backup cells each comprising:

a backup device executing a backup of the data stored on at least one of the plurality of groups of network devices;

a management component, communicatively coupled to the at least one backup device, controlling the backup of the data to the backup device; and

each of the plurality of backup cells communicatively coupled to at least one other of the plurality of backup cells, and each of the plurality of backup cells adaptable to be controlled by a management component in another of the plurality of backup cells.

4. (Amended) A backup and retrieval system for a network computing system, the network computing system comprising a first group of network devices storing data, the backup and retrieval system comprising:

ATTORNEY DOCKET NO. 4982/5
PATENT

a first backup cell comprising:

at least one backup device executing a backup of the data stored on
the first group of network devices;

a first manager component, communicatively coupled to the at
least one backup device, controlling the backup of the data to the at least one
backup device;

a second backup cell communicatively coupled to the first backup cell, the
second backup cell comprising:

a second manager component; and

the second manager component directly controlling the backup of
the data to the at least one backup device.

10. (Amended) A backup and retrieval system for a network computing
system, the network computing system comprising a first group of network devices
containing data, the network computing system further comprising a first network device,
the backup and retrieval system comprising:

at least one backup device executing backup functions for the data
contained on the first group of network devices;

a first manager component executing on the first network device,
communicatively coupled to the at least one backup device, controlling the backup of the
data to the at least one backup device; and

ATTORNEY DOCKET NO. 4982/5
PATENT

a second manager component, communicatively coupled to the first network device, the second manager component directly controlling the backup of the data to the at least one backup device.

16. (Amended) A backup and retrieval system for a network computing system, the network computing system comprising a first group of network devices containing data, the backup and retrieval system comprising:

at least one backup device executing backup functions for the data contained on the first group of network devices;

a first network device, communicatively coupled to the at least one backup device, controlling the backup of the data contained on the first group of network devices to the at least one backup device; and

a second network device, communicatively coupled to the first network device, the second network device directly controlling the backup of the data to the at least one backup device.

Version with markings to show changes made

1. (Amended) A backup and retrieval system for a network computing system, the network computing system comprising a plurality of groups of network devices storing data, the backup and retrieval system comprising:

[a plurality of] at least two backup cells each comprising:

a backup device executing a backup of the data stored on at least one of the plurality of groups of network devices;

ATTORNEY DOCKET NO. 4982/5
PATENT

a management component, communicatively coupled to the at least one backup device, controlling the backup of the data to the backup device; and

each of the plurality of backup cells communicatively coupled to at least one other of the plurality of backup cells, and each of the plurality of backup cells adaptable to be controlled by a management component in another of the plurality of backup cells.

4. (Amended) A backup and retrieval system for a network computing system, the network computing system comprising a first group of network devices storing data, the backup and retrieval system comprising:

a first backup cell comprising:

at least one backup device executing a backup of the data stored on the first group of network devices;

a first manager component, communicatively coupled to the at least one backup device, controlling the backup of the data to the at least one backup device;

a second backup cell communicatively coupled to the first backup cell, the second backup cell comprising:

a second manager component; and

the second manager component directly controlling the backup of the data to the at least one backup device.

ATTORNEY DOCKET NO. 4982/5
PATENT

10. (Amended) A backup and retrieval system for a network computing system, the network computing system comprising a first group of network devices containing data, the network computing system further comprising a first network device, the backup and retrieval system comprising:

at least one backup device executing backup functions for the data contained on the first group of network devices;

a first manager component executing on the first network device, communicatively coupled to the at least one backup device, controlling the backup of the data to the at least one backup device; and

a second manager component, communicatively coupled to the first network device, the second manager component directly controlling the backup of the data to the at least one backup device.

16. (Amended) A backup and retrieval system for a network computing system, the network computing system comprising a first group of network devices containing data, the backup and retrieval system comprising:

at least one backup device executing backup functions for the data contained on the first group of network devices;

a first network device, communicatively coupled to the at least one backup device, controlling the backup of the data contained on the first group of network devices to the at least one backup device; and